

To: Hestmark, Martin[Hestmark.Martin@epa.gov]; Schmit, Ayn[Schmit.Ayn@epa.gov]; Stavnes, Sandra[Stavnes.Sandra@epa.gov]
Cc: McKean, Deborah[mckean.deborah@epa.gov]
From: Keteles, Kristen
Sent: Thur 7/23/2015 1:52:17 PM
Subject: RE: Pavillion domestic well risk

Ex. 5 - Deliberative Process

From: Hestmark, Martin
Sent: Wednesday, July 22, 2015 3:16 PM
To: Keteles, Kristen; Schmit, Ayn; Stavnes, Sandra
Cc: McKean, Deborah
Subject: RE: Pavillion domestic well risk

Ex. 5 - Deliberative Process

From: Keteles, Kristen

Sent: Wednesday, July 22, 2015 2:43 PM
To: Hestmark, Martin; Schmit, Ayn; Stavnes, Sandra
Cc: McKean, Deborah
Subject: RE: Pavillion domestic well risk

Hi Martin,

Deb and I reviewed and made some changes to the attached document. Please let us know if you need any additional information or clarification.

Kristen

From: Hestmark, Martin
Sent: Wednesday, July 22, 2015 12:29 PM
To: Schmit, Ayn; Stavnes, Sandra
Cc: McKean, Deborah; Keteles, Kristen
Subject: RE: Pavillion domestic well risk

I will wait to see the email from Kristen and Deb.

From: Schmit, Ayn
Sent: Wednesday, July 22, 2015 11:03 AM
To: Hestmark, Martin; Stavnes, Sandra
Cc: McKean, Deborah; Keteles, Kristen
Subject: Pavillion domestic well risk

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process

Ayn E. Schmit

Water Policy Advisor

303-312-6220

EPA Region 8

1595 Wynkoop Street

Denver, CO 80202